

WEST Search History

DATE: Monday, April 11, 2005

<u>Hide?</u>	<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>
		<i>DB=PGPB,USPT,USOC; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L14	L10 and L1	16
<input type="checkbox"/>	L13	L12 and successor	12
<input type="checkbox"/>	L12	L10 and instance	211
<input type="checkbox"/>	L11	L10 and (modif\$ near2 duration)	2
<input type="checkbox"/>	L10	L5	260
		<i>DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L9	L7 and successor	1
<input type="checkbox"/>	L8	L7 and instance	2
<input type="checkbox"/>	L7	L4	35
<input type="checkbox"/>	L6	L5	0
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L5	L4 and duration	260
<input type="checkbox"/>	L4	L3 and (project or plan\$)	810
<input type="checkbox"/>	L3	L2 OR Wf?XML	2095
<input type="checkbox"/>	L2	(workflow or work-flow or work flow) near3 management	2094
		<i>DB=PGPB,USPT,USOC; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L1	717/100-113,120-131.ccls.	3838

END OF SEARCH HISTORY.

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(workflow<in>metadata) <and> (successor<in>metadata)"

e-mail

Your search matched 2 of 1142142 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» [View Session History](#)

» [New Search](#)

» **Key**

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

(workflow<in>metadata) <and> (successor<in>metadata)



☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

Select Article Information

- | | |
|--------------------------|---|
| <input type="checkbox"/> | <p>1. From office automation to intelligent workflow systems
 Mahling, D.E.; Craven, N.; Croft, W.B.;
 Expert, IEEE [see also IEEE Intelligent Systems]
 Volume 10, Issue 3, June 1995 Page(s):41 - 47
 AbstractPlus References Full Text: PDF(736 KB) IEEE JNL</p> |
| <input type="checkbox"/> | <p>2. A workflow model supporting pre-dispatching of tasks
 Jianxun Liu; Shensheng Zhang; Jinmin Hu;
 Systems, Man and Cybernetics, 2002 IEEE International Conference on
 Volume 7, 6-9 Oct. 2002 Page(s):6 pp. vol.7
 AbstractPlus Full Text: PDF(383 KB) IEEE CNF</p> |

Indexed by
InsPEC

[Help](#) [Contact Us](#) [Privacy & S](#)

© Copyright 2005 IEEE -



US Patent & Trademark Office

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

SEARCH



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used **Workflow default successor duration**

Found 3 of 153,034

Sort results
by



[Save results to a Binder](#)

Try an [Advanced Search](#)

Try this search in [The ACM Guide](#)

Display
results



[Search Tips](#)

☐ Open results in a new
window

Results 1 - 3 of 3

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Toward a unified framework for version modeling in engineering databases](#)

Randy H. Katz

December 1990 **ACM Computing Surveys (CSUR)**, Volume 22 Issue 4

Full text available: [pdf\(3.14 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Support for unusual applications such as computer-aided design data has been of increasing interest to database system architects. In this survey, we concentrate on one aspect of such support, namely, version modeling. By this, we mean the concepts suitable for structuring a database of complex engineering artifacts that evolve across multiple representations and over time and the operations through which such artifact descriptions are created and modified. There have been ...

2 [Step-by-step: a concept for describing co-operation within workflow management systems](#)

Katharina Just

April 1996 **ACM SIGOIS Bulletin**, Volume 17 Issue 1

Full text available: [pdf\(281.24 KB\)](#)

Additional Information: [full citation](#), [citations](#), [index terms](#)

3 [Semantic Web Services: Simulation, verification and automated composition of web services](#)

Srini Narayanan, Sheila A. McIlraith

May 2002 **Proceedings of the eleventh international conference on World Wide Web**

Full text available: [pdf\(439.25 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Web services -- Web-accessible programs and devices - are a key application area for the Semantic Web. With the proliferation of Web services and the evolution towards the Semantic Web comes the opportunity to automate various Web services tasks. Our objective is to enable markup and automated reasoning technology to describe, simulate, compose, test, and verify compositions of Web services. We take as our starting point the DAML-S DAML+OIL ontology for describing the capabilities of Web service ...

Keywords: DAML, automated reasoning, distributed systems, ontologies, semantic web, web service composition, web services

Results 1 - 3 of 3

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#)^{New!} [more »](#)

work flow "default successor" instance

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 15 for **work flow "default successor" instance**. (0.21 seconds)

Did you mean: **workflow** "default successor" instance

[PDF] [ATLAS TDAQ/DCS Event Filter Event Handler Design](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Processing in these EFD components can be purely internal, eg for data flow
... are managed by the TaskMgr instance class, how they are parameterised ...

atlas.web.cern.ch/Atlas/GROUPS/DAQTRIG/EF/SDP/EH/EH-design-v10.pdf - [Similar pages](#)

[Creating and Managing Users](#)

... separate Personalization Server database instance, this is also possible. ...

For this configuration to work, the appropriate realm properties for your ...

e-docs.bea.com/wlcs/docs20/p13n/users.htm - 102k - [Cached](#) - [Similar pages](#)

[PDF] [Planning and Scheduling the Workload](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... is intended for those involved in planning and scheduling the work in ...
instance, a computer workstation might be created for each z/OS system in a ...

publib.boulder.ibm.com/tividd/td/TWS/SH19-4546-01/en_US/PDF/plan_sch.pdf - [Similar pages](#) 2003

[PDF] [Planning and Scheduling the Workload](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Setting ~~Default Successor and Predecessor~~ Workstations

... EQQQDWML—Modifying Connected Work Stations for a Special ...

publib.boulder.ibm.com/tividd/td/opc/SH19-4376-02/en_US/PDF/SH19-4376-02.pdf - [Similar pages](#)

[[More results from publib.boulder.ibm.com](#)]

2002

[PartnerNet](#) - [[Translate this page](#)]

... Logging in as administrator/password does not work because administrator exists
and ... automatically becomes the default successor for the child group. ...

partner.bea.com.cn/tech_part/tech_administration/20031289.jsp - 70k - [Cached](#) - [Similar pages](#)

[PS] [Enhancing the Move framework Endianness port and Immediates ...](#)

File Format: Adobe PostScript - [View as Text](#)

... conditional execution, and control flow changing operations. ... block reached
then 25: get default successor block and make it current 26: instruction ...

ce.et.tudelft.nl/publicationfiles/567_325_ivo.ps - [Similar pages](#)

Articles

... merging of various Councils, such as Portland and Fingal for instance. ...

Since he advanced by default, successor Bryan Green in fact notified us to ...

home.iprimus.com.au/ltuffin/letsarchive11.html - 283k - [Cached](#) - [Similar pages](#)

[Articles](#)

... for instance of the materials used for timber preservation. ... Since he
advanced by default, successor Bryan Green in fact notified us to express his ...

home.iprimus.com.au/ltuffin/letsarchive10.html - 245k - [Cached](#) - [Similar pages](#)

[PDF] [BEA WebLogic Personalization Server Developer's Guide](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... It may consist of a portal **instance** with JSP portlets, a set of traditional ... destination, RequestURI, **default successor**, home page, and current page. ...
[edocs.beasys.co.jp/weblogic/wlcs20doc/pdf/p13ndev.pdf](#) - [Similar pages](#)

2004-02-08 C. Scott Ananian <cananian@skiffserv> * GNUmakefile ...
... because the HEADER quad would *always* be followed by its **default successor**.
... which is a variant of the usual **flow** graph exported by the IR. ...
[www.flex-compiler.lcs.mit.edu/Harpoon/doc/ChangeLog.txt](#) - 513k - [Cached](#) - [Similar pages](#)

Did you mean to search for: **workflow** "default successor" instance

Google ►

Result Page: 1 2 [Next](#)

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)




work flow "default successor" instance [Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

[Shortcuts](#) [Advanced Search](#) [Preferences](#)

Search Results

Results 1 - 10 of about 83 for **workflow default successor activity duration process**

1. [The Danet Workflow Component](#)
The Danet **Workflow** Component. User Manual. Dr. Michael Lipp. Danet GmbH. GS AN. Holger Schlüter 2003, 2004, 2005 Danet GmbH. All rights reserved. ... **workflow.api.Process**. A.2.2. Interface de.danet.a wfmpopen.sourceforge.net/userapi/de/.../api/doc-files/user-manual.html - 525k - [Cached](#) - [More from this site](#)
2. [Process](#)
... **workflow** evolution according to **activity** ... **workflow instance** to fail one of its currently running tasks lsdcs.cs.uga.edu/lib/download/thesis_luo.htm - 286k - [Cached](#) - [More from this site](#)
3. [Müller, Robert; Rahm, Erhard: Rule-Based Dynamic Modification of Workflows in a Med](#)
... consequence ?do not **process activity** anymoreö), while check and ... p' n + next **successor**) would e dol.uni-leipzig.de/pub/1999-14 - 56k - [Cached](#) - [More from this site](#)
4. [lichenghong's Weblog](#)
... or **activity**). The **workflow** engine ... **process instance** that is created. The client can use this id in sul www.jroller.com/page/charlie.li/Weblog?catname=/Java - 156k - [Cached](#) - [More from this site](#)
5. <http://www.omg.org/docs/bom/00-12-11.txt>
Object Management Group First Needham Place 250 First Avenue, Suite 201 Needham, MA 02494 U.S./ definition must ... **duration**, expected **process duration**, maximum **process duration**, expected ... www.omg.org/docs/bom/00-12-11.txt - 66k - [Cached](#) - [More from this site](#)
6. <http://www.omg.org/docs/bom/00-03-03.txt>
Object Management Group 250 First Avenue, Suite 201 Needham, MA 02494 U.S.A. ... 05-05, or **success duration**, expected **process duration**, maximum **process duration**, expected ... www.omg.org/docs/bom/00-03-03.txt - 64k - [Cached](#) - [More from this site](#)
7. [Shared Planning and Activity Representation - SPAR](#)
Planning Initiative. Shared Planning and **Activity** Representation - SPAR. It is important that information : Detailed temporal, resource and actor constraints for scheduling support. Planning **process**, **workflow** ... www.aiai.ed.ac.uk/project/spar/spar-doc-01.html - 199k - [Cached](#) - [More from this site](#)
8. [The "Core" KO Technology](#)
... the knowledge worker **process** maps enabling **workflow**, instructional information, and ... of item and s www.utdallas.edu/~sulliva/6356/coreprod.htm - 191k - [Cached](#) - [More from this site](#)
9. [KCAA Technologies - PMHelper](#)
... daily calendar is the **default** view and is divided ... implemented into the **workflow process** or changes www.pmhelper.com/ProjectGuide/_InformationDisplay.cfm - 306k - [Cached](#) - [More from this site](#)
10. [Distributed Object Computation Testbed \(DOCT\)](#)
... **instance** at the outset. The current draft of the IG made no proposals concerning **process** definition ... www.sdsc.edu/DOCT/Publications/a1a4/a1a4.html - 160k - [Cached](#) - [More from this site](#)

Results Page:

1 2 3 4 5 6 ► [Next](#)

[Web](#) | [Images](#) | [Video](#) | [Directory](#) | [Local](#) | [News](#) | [Products](#)

Your Search:

Copyright © 2005 Yahoo! Inc. All rights reserved. [Privacy Policy](#) - [Terms of Service](#) - [Copyright/IP Policy](#) - [Submit Your Site](#) - [Job Openings](#)



Web Images Groups News Froogle Local^{New!} more »

workflow default successor activity duration pr

Search

Advanced Search
Preferences

Web Results 1 - 10 of about 510 for workflow default successor activity duration process instance. (0.17 s)

Tip: Save time by hitting the return key instead of clicking on "search"

[PDF] WVMM

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... If a **Workflow Process Instance** for which parameters are defined is ...
transition(s) of an **Activity** none of the possible **successor Activities** is reached ...
www.wfmc.org/standards/docs/ff19807r3.pdf - [Similar pages](#)

[PDF] Microsoft PowerPoint - Chapter 10 Business Process Modeling and ...

File Format: PDF/Adobe Acrobat

... A **workflow** is a business **process** in execution (an **instance** of a **process** ...
Activity A of **workflow P1** causes another **workflow P2** to start ...
www.dvs.informatik.uni-kl.de/.../MDWVIS.Chapter.10.Business_Process_Modeling_and_Workflow_Management.pdf - [Similar pages](#)

[PS] A WORKFLOW MANAGEMENT AND SIMULATION SYSTEM AND ITS SUPPORTING ...

File Format: Adobe PostScript - [View as Text](#)

... **Workflow Diagram** for Conference Paper Review **process**. 13 3.2.2 **Activity** ...
exists a **successor activity instance** having the same projId as this **activity** ...
www.cise.ufl.edu/tech_reports/tr97/tr97-014.ps - [Similar pages](#)

[PDF] USING COLLABORATION TASK IN ORBWORK ENACTMENT SYSTEM FOR METEOR ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... **workflow** (or **workflow process**) is a computer-assisted (or automated) **activity** ...
... provides the run time execution environment for a **workflow instance** in ...
lsdis.cs.uga.edu/lib/download/thesis/ZqLi-Thesis.pdf - [Similar pages](#)

[doc] USING COLLABORATION TASK IN ORBWORK ENACTMENT SYSTEM FOR METEOR ...

File Format: Microsoft Word 97 - [View as HTML](#)

... a **workflow instance**, data objects must be made available at the **successor** tasks.
... **Workflow Process Automation** to Adaptive and Dynamic Work **Activity** ...
lsdis.cs.uga.edu/library/download/Li-Thesis-2000.doc - [Similar pages](#)

[PDF] Business Process Execution Language for Web Services

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... track the state of **process instances** and help enforce protocol correctness ...
... either explicitly or by **default** in the same scope as the failed **activity**. ...
www.cs.helsinki.fi/u/mtlaukka/workflow/BPEL4WS_Seminar.pdf - [Similar pages](#)

[PDF] Cross-Organisational Workflow CrossFlow ESPRIT E/28635

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... activities that can be executed as a **workflow instance** and the order among these activities. ... of an **activity** or the **duration** of the overall **workflow**. ...
www.crossflow.org/public/pubdel/D8a.pdf - [Similar pages](#)

[PDF] Semantics and Verification of UML Activity Diagrams for Workflow ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... quirements on **workflow** specifications. To specify workflows, we use UML **activity**
... cation a **process** definition [161]. An instance of a **workflow** ...
www.ctit.utwente.nl/library/phd/eshuis.pdf - [Similar pages](#)

[PDF] [Information Analysis in Workflows Represented as Task-Precedence ...](#)
File Format: PDF/Adobe Acrobat - [View as HTML](#)
... When automated in whole or in part, a business **process** becomes a **workflow**,
... delaying the **processing** of OR nodes. The leftmost **successor** q of p is ...
www.iimcal.ac.in/programs/fpm/DataFile.asp?FileID=3 - [Similar pages](#)

[\[PDF\] Management Summary](#)
File Format: PDF/Adobe Acrobat - [View as HTML](#)
... **Workflow Runtime** executes a **process instance**, and the **process instance** ...
deadline definition at **process** and **activity level (2)**, a **duration** after which ...
www.wngs.com/wgs_e/Sample.pdf - [Similar pages](#)

Goooooooooooooogle ▶

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)

Google Search Web PageRank 3 blocked AutoFill Options

workflow default successor activity d Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

Searching for **PHRASE workflow default successor activity duration process instance**.

Restrict to: Header Title Order by: Expected citations Hubs Usage Date Try: Google (CiteSeer)
Google (Web) Yahoo! MSN CSB DBLP

No documents match Boolean query. Trying non-Boolean relevance query.

500 documents found. Order: relevance to query.

A Comparison of Featural and Structural Analyses of Phonological.. - Gilbers (Correct)
of a single feature: long]Defined in terms of **duration**, this feature adequately indicates the
the data in (2)exhibiting a morphonological **process** in Old Dutch in which vowels are lengthened in
the **duration** of [i,y,u] and the **duration** of, for instance, e,o,a]It is the environment of the vowel
odur.let.rug.nl/~gilbers/papers/tenselax.ps

Structured Temporal Composition of Multimedia Data - Duda, Keramane (1995) (Correct) (12 citations)
between intervals)they depend on interval **durations** (changing **duration** may modify relations)and
also compare our approach to structured document **processing** as opposed to traditional text formatters
ftp.imag.fr/pub/DRAKKAR/duda/multimedia-composition.ps.gz

Throughput-Competitive On-Line Routing - Awerbuch (1993) (Correct) (89 citations)
of nodes in the network and T is the maximum call **duration**. In other words, our strategy results in
copies of the graph, one copy per each time **instance**. The first competitive solutions for on-line
time of request f i j .With each edge e and time **instance** we associate a "cost" of this edge, defined
www.math.tau.ac.il/~azar/route.ps.gz

Perceptual Adjustment to Highly Compressed Speech: Effects of.. - Dupoux, Green (1996) (Correct)
(VOT)transi- 4 E. Dupoux and K. Green tion **duration**, closure **duration**, and vowel **duration** (Miller,
at a number of different levels of speech **processing**. The purpose of the current study was to
www.ehess.fr/lscp/persons/dupoux/_pucompr.ps

Perception And Acoustics Of Emotions In Singing - Jansens, Bloothoof, de Krom (Correct)
Acoustic measures of spectral balance, vibrato, **duration** and intensity were related to the composite
(1996)Vowels in Concert"CD-ROM, Speech **Processing** Expertise Centre (SPEX)Leidschendam, the
vowels in the phrase: the vowel /a:in the first **instance** of the word Vater, the vowel /P/ in the word
www.uilots.let.uu.nl/staff/krom/Own/A0496.ps

Learning to Predict the Duration of an Automobile Trip - Handley, Langley, al. (1998) (Correct) (4 citations)
New York: AAAI Press. Learning to Predict the **Duration** of an Automobile Trip Simon Handley Pat
in formulating the problem, in collecting and **processing** the data, and in crafting a representation.
three alternatives: no normalization, mapping the **instance** space onto a unit cube, and transforming each
www.isle.org/~langley/papers/time.kdd98.ps

Synthesizing Conversational Intonation from a Linguistically.. - Paul Taylor (1994) (Correct) (5 citations)
each of which has a name for the segment and a **duration** (previously derived from the **duration** module
boundary rises are all intonational events. The **processing** of the phonetic part of the prosodic
www.cstr.ed.ac.uk/publications/1994/Taylor_1994_c.ps

Application of Point Distribution to the Automated .. - Parker, Hill.. (Correct)
advantage in automating this monitoring **process**. Cardiac dysfunction is often recog# nised by
are located in experimental data by placing an **instance** of the model in the image and iteratively
coordinate frame of the points describing an **instance** from the training set by :X
s20c.smb.man.ac.uk/services/download/papers/cinc1.ps.gz

A Decision Method for Nonmonotonic Reasoning Based on.. - Niemelä (1994) (Correct) (13 citations)
formalizations of nonmonotonic reasoning, such as **default** logic and circumscription, can be embedded into
saturn.hut.fi/pub/papers/nie-kr94.ps.Z

Fixed-Choice and Independent-Choice Logics - Blass, Gurevich (1998) (Correct) (6 citations)
structures (the states of ASMs) come equipped with **default** elements choosing from the 1 Boolean-valued

sort)Because of the arbitrary choices the **process** of evaluating terms and formulas is not to commands rather than formulas. Consider, for instance, the basic single-source shortest paths <ftp.eecs.umich.edu/groups/gasm/choicelogic.ps.gz>

Generic Function Parameter and Method Parameter Metaobjects: A .. - Eric Peterson (Correct)
(parameter) optional-parameter-**default** :documentation "Default value for &optional presently exist for maintaining objects with slot-instance-specific metadata such as the unit of measure of www.elwoodcorp.com/alu/luv/96/2.SUB4-5.ps

Super Logic Programs - Stefan Brass, Jürgen Dix, Teodor C.. (1996) (Correct) (14 citations)
it with a modal operator Not ,called the **default** negation operator. The atomic formulae of the obvious examples include: ffl Null values: for instance, an age "around 30" can be 28, 29, 30, 31, or LNot which contains T ,all the (substitution instances of) the axioms (K'and (D) and is closed under <ftp.cs.ucr.edu/pub/teodor/suprprog.ps.gz>

A Theorem Prover for Prioritized Supernormal Defaults - Brass (1992) (Correct)
A Theorem Prover for Prioritized Supernormal Defaults Stefan Brass Institut für Informatik, www-db.informatik.uni-hannover.de/ftp/papers/1992/Bra92f.ps.gz

Functions and Methods for Mixed-Effects Models - Help Files (Correct)
maxiter: maximum number of iterations during fit. **Default** is 50. ms.maxiter: maximum number of iterations cm.bell-labs.com/cm/ms/departments/sia/NLME/HelpFunc.ps

Toward Case-Based Preference Elicitation: Similarity Measures.. - Ha, Haddawy (1998) (Correct) (13 citations)
elicited preferences with some appropriate **default** information. In this paper we propose a reader is referred to [10] for more details. The **process** of making decisions is generally modeled as the www.cs.uwm.edu/~vu/papers/uai98.ps.gz

An Experimental Study on Transitive Closure Representations - Nuutila (Correct)
graph. Each chain is topologically ordered, and a **successor** set of the transitive closure is represented as Esko Nuutila Laboratory of Information Processing Science Helsinki University of Technology computation is required in many applications, for instance, in the reachability analysis of transition www.cs.hut.fi/~enu/ps/tko-b134-intervals.ps

The Linear Time-Branching Time Spectrum II - The semantics of.. - van Glabbeek (1993) (Correct) (9 citations)
could take the absence of communication to be the **default** and consider a successful communication to be a green light, that allows one to record internal **activity** as well. It is supposed to be on when (internal) combination of finite replication and infinite **duration**. This would give rise to countable replication Boole.stanford.edu/pub/spectrum.A4.ps.gz

A Methodology For Developing Agent Based Systems For.. - Kendall, Malkoun, Jiang (1995) (Correct) (18 citations)
upon the IDEF (ICAM Definition) approach for **workflow** modelling and analysis, the CIMOSA enterprise functional output. In summary, each enterprise **activity** is analogous to an IDEF function, except it can A Methodology for Agent Based Systems 16 batch **duration** fillLevel machine partList quality startTime www.labs.bt.com/projects/ibsr/papers/patterns/eilong.ps.gz

An Agent-based Telecooperation Framework - Schmidt, Specker, Partsch.. (Correct)
functionality like teleconference scheduling or **workflow** management support. External services can offer great importance. Nearly all private and business **processes** rely more and more on the timely deliverance is not reachable, due to network failures for instance, store and forward mechanisms in the framework www-vs.informatik.uni-ulm.de/Papers/cobuild98/cobuild98.ps

Customizing Transaction Models and Mechanisms in a.. - Georgakopoulos.. (1996) (Correct) (18 citations)
in a Programmable Environment Supporting Reliable **Workflow** Automation Dimitrios Georgakopoulos, Mark F. x is either an object-specific conflict table or a **default** conflict table. Object-specific conflict tables However, a successful completion of this **activity** may not be possible if the facilities are not <ftp.gte.com/pub/dom/workflow/ToKDE.ps>

First 20 documents [Next 20](#)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)